



Sport LED Screen Series

Shenzhen Bibi Led Co.,Ltd.reserves the right to modify Specification and parameters without further notice. www.bibiled.com/ info@bibiled.com



01 / Perimeter Fencing LED Screen Series

Perimeter Fencing LED Screen





SPECIFICATION				
ltem	Model	P6.67	P8.0	P10
Pixel pitch	Unit	6.67	8.0	10
LED type	N/A	SMD 3 in 1	SMD 3 in 1	SMD 3 in 1
Pixel density	Pixels/m	27777	15625	10000
Module size(WxH)	mm		320x160	
Module resolution	Pixel	48x32	32x16	16x16
Cabinet size(WxH)	mm	1280x960/Customized		
Materia	N/A	Steel/Aluminum		
Screen weight	Kg/mੈ	65		
Brightness	Nits	5000~6500		
Refresh rate	Hz		3840	
Ingress protection	N/A		IP65	
Max. Avg. Power consumption	W/m²		850/320	

$\textbf{C} \in |\textcircled{\black}| \ \textbf{LVD} | \ \textbf{F} \textcircled{\black}| \ \textcircled{\black}| \ \textbf{RoHS}$

LED Screen Manufacturer in China





Mob: +86 153 9990 6913 Web: www.bibiled.com E-mail: info@bibiled.com Address: The Third Floor, Jiada Industrial Park, Shiyan Town, Baoan District, Shenzhen, China.